


CM5000

The complimentary CM5000 central management software (CMS) is designed for remote management of AVer's next generation of DVRs/NVRs. Users can leverage CM5000 to remotely control up to 16 DVRs/NVRs, including support for live preview, instant playback, settings adjustment, and E-maps. Full GUI standardization between local (DVR/NVR) and remote (CMS) sites ensures a low learning curve and smooth everyday operation.



features



**manage up to
16
DVRs/NVRs**



4096 E-maps



**standardized
intuitive GUI**



**rapid
DVR/NVR
search**



visual search

key features

- live monitoring of up to 33 camera channels per page (max. 4 pages)
- standardized intuitive GUI, identical for local site (DVR/NVR) and remote site (CMS)
- rapid search and user-friendly setup of DVRs/NVRs
- supports instant playback to effectively resolve sudden emergencies
- advanced search functions: event search and visual search (by video snapshot timeline)
- local backup of remote video feeds streamed from DVRs/NVRs
- up to 4096 E-maps with DVR, camera, sensor & relay icons supported
- advanced alarm center with real-time notifications, e.g. e-mail, warning sound, relay on
- full POS functionality support with transaction text overlay and data search

specs

connection

- supports AVer new-generation DVRs/NVRs - E5000 Series
- supports up to 16 DVRs/NVRs - E5000 Series

display mode

- output resolution up to 1920 x 1200, GUI auto adjustment
- user interface language following DVR/NVR
- playback with multiple search modes

management

- fully functional remote control
- live remote video and audio
- remote playback
- remote I/O control

preview

- up to 33 channels per page, up to 4 pages
- different channel splits (1, 4, 9, 16, 8, 13, 33 channels)
- intuitive click-and-drag preview selection
- POS information overlaid onscreen
- PTZ and ePTZ control

playback

- full screen display of recorded video
- event and visual search for easy retrieval of crucial data
- manual snapshot function
- customized video segment export

alarms

- receive alarm video clips from the DVR
- alarm triggers: DVR alarm, reboot, log in/out, HD failed
- alarm actions: launch E-map, enlarge camera view, relay output, warning sound, e-mail, file transmission via FTP, PTZ preset point

E-maps

- up to 4096 E-maps in JPG or BMP format
- DVR, camera, relay, sensor icons available
- show live video or playback by clicking on the icon

log viewer

- sort by categories: abnormal, event, network, operation, system
- search by categories, date and time, keyword
- export event data into .txt or .csv formats